Sturdi Mount.





STURDIMOUNT EXTERIOR MOUNT BLOCKS

PERFECTING HARDBOARD, FIBER CEMENT, AND ENGINEERED WOOD SIDING.


SturdiMount Mount Blocks are designed to provide a strong, smooth mounting surface that complements uneven exterior finishes such as lap siding, brick, stone or stucco. It's a detail that is often overlooked that provides easy installation of light fixtures, vents, plugs, and more.

SturdiMount blocks provide a finished look that complements a wide range of exterior materials. The ABS flange is designed to keep water at bay.

Made of cellular PVC to provide a lifetime of maintenance-free durability.








RECEPTACLE MOUNT

Generously sized for coach lights.

#SMR68TW

- 6" x 8-1/2"
- 5 per box / 7.5 lbs.






SPLIT MOUNT

Designed to accommodate water spigots, gas lines, bib lines and doorbells.

#SMS68TW

- 6" x 8-1/2"
- 5 per box / 7.5 lbs.





UNIVERSAL MOUNT


Mount standard lights and dryer vents using this universal mount.

#SMU811TWA

3-5/8" Cut-out: #SMU3811TWA

- 8-1/2" x 11"
- 5 per box / 11.7 lbs.






OVERSIZED MOUNT

Generously sized for coach lights.

#SMO815TW

- 8-1/2" x 15"
- 5 per box / 15.1 lbs.





UL RECEPTACLE MOUNT

UL-rated for light fixtures up to 10 pounds, this receptacle allows the electrical connection to be made over the house wrap. Provides 18 cubic inches of free space—exceeding IRC requirements.

#SMRUL68TW

- 5-3/4" x 7-1/2"
- 5 per box / 6.62 lbs.



HORIZONTAL MOUNT

For use with furnace/HVAC applications and house address plaques.

#SMU811TWA

- 9-1/2" x 16"
- 5 per box / 10 lbs.
- Face of mount is uncut for on-site fabrication



BLANK MOUNT

For onsite customization blanks are available in Universal, Oversized and Receptacle Profiles.

Universal: #SMU811BTW4 Oversized: #SMO815BTW Receptacle: #SMR68BTW

A STRONG CHOICE FOR A BEAUTIFUL FINISH.

SturdiMount Mount Blocks are designed to provide a strong, smooth mounting surface that complements uneven exterior finishes such as lap siding, brick, stone or stucco.

- Pre-flashed and pre-assembled for protection against water damage.
- The mounting surface is manufactured of cellular PVC.
- Nail fin for incorporation into water-resistive barriers.
- Incorporated head flashing saves time.
- Does not split, crack, warp, or twist, will not chalk or fade.
- Does not experience moisture cycling so paint holds up better than on wood.

JOBS FINISHED USING STURDIMOUNT







If you're installing a premium hard board siding, the use of SturdiMount will ensure you don't end up like these homeowners.

JOBSITE FABRICATIONS







THIS PRODUCT CAN BE PAINTED. For best results, use a 100% acrylic paint or paint that is formulated to bond to plastic and PVC. Always follow the paint manufacturer's instructions for surface preparation and priming.



THE PRODUCTS TO DO EVERYTHING. THE POWER TO DO EVEN MORE.

We're answering "what ifs" on a whole new level—from the solutions we create to the dreams we build. We have the tools and technology to tell design stories on a bigger scale and on a more personal level. There are no limits to how far we innovate, how deeply we express, how strongly we commit and how boldly we go. Together let's Be Boundless™.





